



# NEO

# IB NCV



## NEO CAR HAULER V

### STANDARD FEATURES

- ALL ALUMINUM
- BONDED EXTERIOR SKIN
- SEAMLESS ROOF, 16" ON CENTER
- EXTRUDED ROUND TOP COVE
- INTEGRATED TUBE FRAME CHASSIS
- INLINE TONGUE, 2 5/16" COUPLER
- 24" ATP STONEGUARD
- RADIAL TIRES 205 75 R15
- LED LIGHTING, 2 INTERIOR DOMES
- 36" FLUSH LOCK CURBSIDE DOOR
- CAST ALUMINUM HOLDBACK(SIDE DOOR)
- EXTERIOR GRADE PLYWOOD FLOOR
- SELF ADJUSTING BRAKES, EZ LUBE HUBS
- 16" ON CENTER WALLS AND FLOOR
- WHITE VINYL WALLS
- 4 HEAVY DUTY TIE DOWNS
- PROEDGE, TAPERED RAMP DOOR EDGE
- NXP STAINLESS RAMP LATCH SYSTEM
- ALUMINUM GRAB HANDLE(RAMP ONLY)
- 3500# SPRUNG AXLES, 7000# GVWR



### The Specs

Model	Axles	Tongue Ht.	Int. Ht.	Box Length	C.S. Door	Rear Door	Plus 6"Ht	Plus12"Ht
NCV1885TR	2-3500#	22"	80.25"	18'	36"	92"x73"	79"H	85"H
NCV2085TR	2-3500#	22"	80.25"	20'	36"	92"x73"	79"H	85"H
NCV2285TR	2-3500#	22"	80.25"	22'	36"	92"x73"	79"H	85"H
NCV2485TR	2-3500#	22"	80.25"	24'	36"	92"x73"	79"H	85"H
NCV2685TR	2-3500#	22"	80.25"	26'	36"	92"x73"	79"H	85"H
NCB1885R	2-3500#	22"	80.25"	18'	36"	92"x76"	82"H	88"H
NCB2085R	2-3500#	22"	80.25"	20'	36"	92"x76"	82"H	88"H
NCB2285R	2-3500#	22"	80.25"	22'	36"	92"x76"	82"H	88"H
NCB2485R	2-3500#	22"	80.25"	24'	36"	92"x76"	82"H	88"H
NCB2685R	2-3500#	22"	80.25"	26'	36"	92"x76"	82"H	88"H



PRICE AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE. OPTIONS ADDED TO BASE UNITS DECREASE PAYLOAD CAPACITY.

NCVB-3  
9.27.21




For Additional Specs & Photos, go to:

**neomfg.com**

e-mail: sales@neomfg.com  
21900 US 12 Sturgis, MI 49091  
269.503.7630

NOTE:  
 DISTANCE BETWEEN WHEEL WELLS IS 82".  
 TRAILER DIMENSIONS ARE WITH 3500# AXLES.  
 WITH OPTIONAL 5200# AXLES TRAILER HEIGHT WILL RAISE 2".  
 TRAILER HEIGHTS ARE REFERENCE AND SUBJECT TO CHANGE.

MODEL	OUTSIDE BOX LENGTH (A)	INSIDE BOX LENGTH (B)
NCB1885TR	216"	214"
NCB2085TR	240"	238"
NCB2285TR	264"	262"
NCB2485TR	288"	286"
NCB2685TR	312"	310"



NCBR	Rear Door Hgt (C)	Front Door Hgt	Front Door Width	Int Hgt @ Center (D)	Overall Hgt (E)
STD Height	76.25"	70"	58"	80.25"	102.00"
6" Plus Height	82.25"	76"	58"	86.25"	108.00"
12" Plus Height	88.25"	82"	58"	92.25"	114.00"

**NEO TRAILERS**

DRAWN BY: TYLER A BOURASSA  
 DATE: 1/12/2023



TRAILER MODEL: NCBR

TITLE: **TRAILER DIMENSIONS**

DO NOT SCALE DRAWING

NOTE:  
 DISTANCE BETWEEN WHEEL WELLS IS 82".  
 TRAILER DIMENSIONS ARE WITH 3500# AXLES.  
 WITH OPTIONAL 5200# AXLES TRAILER HEIGHT WILL RAISE 2".  
 TRAILER HEIGHTS ARE REFERENCE AND SUBJECT TO CHANGE.

MODEL	OUTSIDE BOX LENGTH (A)	INSIDE BOX LENGTH (B)
NCV1885TR	216"	214"
NCV2085TR	240"	238"
NCV2285TR	264"	262"
NCV2485TR	288"	286"
NCV2685TR	312"	310"



NCVR	Rear Door Hgt (C)	Front Door Hgt	Front Door Width	Int Hgt @ Center (D)	Overall Hgt (E)
STD Height	73.25"	70"	58"	80.25"	102.00"
6" Plus Height	79.25"	76"	58"	86.25"	108.00"
12" Plus Height	85.25"	82"	58"	92.25"	114.00"



DRAWN BY: TYLER A BOURASSA  
 DATE: 1/12/2023

TRAILER MODEL:	NCVR
TITLE:	<b>TRAILER DIMENSIONS</b>
DO NOT SCALE DRAWING	